

# AUTHORIZATION TO DISCHARGE

*This Authorization shall be posted in a prominent location.*

Business name located at address

Sent via FedEx #:

Type of Grease Removal Device: **Grease Interceptor**

In accordance with Section 13.10.201 of the Loveland Municipal Code, the above establishment is authorized to discharge wastewater to the City of Loveland sanitary sewer system under the following conditions and other requirements specified in Chapter 13.10 of city code:

- I. The establishment shall **EMPTY** the grease removal device **ONCE EVERY 90 DAYS,**
  - or more frequently if the total accumulation of floating and/or settled waste exceed 25% of the grease removal device capacity;
  - by removing the entire contents of the device each time;
  - to verify the interior components are present and in good condition;
  - to ensure proper operation, maintenance and performance of the device.
- II. The establishment shall **SUBMIT AND MAINTAIN RECORDS** of each maintenance event that provides, at a minimum, the following information:
  - Date of Service;
  - Volume removed (in gallons);
  - Name of Company providing service;
  - Waste disposal location.
- III. The establishment shall **USE BEST MANAGEMENT PRACTICES** (BMPs) such as:
  - employee training;
  - disconnecting or minimizing the use of garbage disposals;
  - having hot water temperature that does not exceed 140° F;
  - not using enzymes, bacteria, or other products that emulsify fats, oil, or grease
  - installing 1/8" or 3/16" mesh screens on all kitchen drains;
  - scraping or soaking up fats, oils, and grease from plates and cookware before washing;
  - using cold water at pre-wash sink to rinse plates and cookware;
  - recycling fats, oils, and grease and beneficial food waste;
  - pouring waste fats, oils, and grease from cookware into containers to be disposed of;
  - posting BMPs in the food preparation and dishwashing areas at all times.
- IV. The establishment shall **INFORM THE CITY** of any remodeling, additions, or alterations.
- V. The City may conduct random unannounced inspections to verify compliance and charge fees and/or pursue enforcement as necessary.
- VI. The City may amend this Authorization to Discharge as necessary to address noncompliance, maintenance frequency, or changes to the Pretreatment Program.

---

Issued

---

Pretreatment Coordinator, 962-3719